Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1-57. (Canceled)
- 58. (Withdrawn-Currently Amended) A compound of formula F:

wherein, independently for each occurrence,

X is -N(R2)-, -O-, or -S-;

R is halogen, alkyl, alkenyl, alkynyl, hydroxyl, alkoxyl, acyl, acyloxy, acylamino, silyloxy, amino, nitro, sulfhydryl, alkylthio, imino, amido, phosphoryl, phosphonate, phosphine, carbonyl, carboxyl, carboxamide, anhydride, silyl, thioalkyl, alkylsulfonyl, arylsulfonyl, selenoalkyl, ketone, aldehyde, ester, heteroalkyl, cyano, guanidine, amidine, acetal, ketal, amine oxide,

aryl, heteroaryl, aralkyl, heteroaralkyl, azido, aziridine, carbamoyl, epoxide, hydroxamic acid, imide, oxime, sulfonamide, thioamide, thiocarbamate, urea, thiourea, or $-(CH_2)_d$ - R_{80} ;

R₈₀ is carboxaldehyde, carboxylate, carboxamido, alkoxycarbonyl, aryloxycarbonyl, ammonium, aryl, heteroaryl, cycloalkyl, cycloalkenyl, heterocyclyl, polycyclyl, amino acid, peptide, saccharide, ribonucleic acid, or (deoxy)ribonucleic acid;

R2 is H or a lipophilic group;

d is an integer in the range 0 to 12 inclusive;

m is an integer in the range 0 to 6 inclusive; [[and]]

n is an integer in the range 0 to 6 inclusive; and

the compound is complexed with a radionuclide.

59. (Canceled)

- 60. (Withdrawn) The compound of claim 58, wherein the compound is complexed with a radionuclide, wherein the radionuclide is technetium or rhenium.
- 61. (Withdrawn-Currently Amended) A compound of formula G:

wherein, independently for each occurrence, R is absent or present 1 or 2 times;

- R is halogen, alkyl, alkenyl, alkynyl, hydroxyl, alkoxyl, acyl, acyloxy, acylamino, silyloxy, amino, nitro, sulfhydryl, alkylthio, imino, amido, phosphoryl, phosphonate, phosphine, carbonyl, carboxyl, carboxamide, anhydride, silyl, thioalkyl, alkylsulfonyl, arylsulfonyl, selenoalkyl, ketone, aldehyde, ester, heteroalkyl, cyano, guanidine, amidine, acetal, ketal, amine oxide, aryl, heteroaryl, aralkyl, heteroaralkyl, azido, aziridine, carbamoyl, epoxide, hydroxamic acid, imide, oxime, sulfonamide, thioamide, thiocarbamate, urea, thiourea, or -(CH-)h-Rs0:
- R₈₀ is carboxaldehyde, carboxylate, carboxamido, alkoxycarbonyl, aryloxycarbonyl, ammonium, aryl, heteroaryl, cycloalkyl, cycloalkenyl, heterocyclyl, polycyclyl, amino acid, peptide, saccharide, ribonucleic acid, or (deoxy)ribonucleic acid;

R₂ is H or a lipophilic group; d is an integer in the range 0 to 12 inclusive; m is an integer in the range 0 to 6 inclusive; [[and]] n is an integer in the range 0 to 6 inclusive; and the compound is complexed with a radionuclide.

- 62. (Canceled)
- (Withdrawn-Currently Amended) The compound of claim 61, wherein the compound is
 eomplexed with a radionuclide, wherein the radionuclide is technetium or rhenium.
- 64. (Withdrawn) The compound of claim 61, wherein m is 1.
- 65. (Withdrawn) The compound of claim 61, wherein n is 1.
- 66. (Withdrawn) The compound of claim 61, wherein m is 1; and n is 1.
- 67. (Withdrawn) The compound of claim 61, wherein R is absent.
- 68. (Withdrawn) The compound of claim 61, wherein R2 is a lipophilic group.

- 69. (Withdrawn) The compound of claim 61, wherein R2 is an ether, aralkyl, or alkylaryl.
- (Withdrawn) The compound of claim 61, wherein R is absent; and R₂ is an ether, aralkyl, or alkylaryl.
- (Withdrawn) The compound of claim 61, wherein m is 1; n is 1; R is absent; and R₂ is an
 ether, aralkyl, or alkylaryl.
- (Withdrawn-Currently Amended) The compound of claim 61, wherein m is 1; n is 1; R is
 absent; and R₂ is an ether, aralkyl, or alkylaryl; wherein the compound is complexed with
 a radionuclide.
- 73. (Withdrawn-Currently Amended) The compound of claim 61, wherein m is 1; n is 1; R is absent; [[and]] R₂ is an ether, aralkyl, or alkylaryl; wherein the compound is complexed with a radionuclide and wherein said radionuclide is technetium or rhenium.
- 74. (Currently Amended) A compound of formula H:

$$L \xrightarrow{M}_{R^3} \xrightarrow{N}_{R^3} \xrightarrow{N}_{L}$$

wherein:[[,]]

independently for each occurrence,

X is $-N(R^2)$ - or -O-;

R is halogen, alkyl, alkenyl, alkynyl, hydroxyl, alkoxyl, acyl, acyloxy, acylamino, silyloxy, amino, nitro, sulfhydryl, alkylthio, imino, amido, phosphoryl, phosphonate, phosphine, carbonyl, carboxyl, carboxamide, anhydride, silyl, thioalkyl, alkylsulfonyl, arylsulfonyl, selenoalkyl, ketone, aldehyde, ester, heteroalkyl, cyano, guanidine, amidine, acetal, ketal, amine oxide, aryl, heteroaryl, aralkyl, heteroaralkyl, azido, aziridine, carbamoyl, epoxide, hydroxamic acid, imide, oxime, sulfonamide, thioamide, thiocarbamate, urea, thiourea, or -(CH₂)a-R₈₀;

R₈₀ is independently for each occurrence carboxaldehyde, carboxylate, carboxamido, alkoxycarbonyl, aryloxycarbonyl, ammonium, aryl, heteroaryl, cycloalkyl, cycloalkenyl, heterocyclyl, polycyclyl, amino acid, peptide, saccharide, ribonucleic acid, or (deoxy)ribonucleic acid;

R2 is H or a lipophilic group;

R₃ is a moiety comprising a neutral or anionic Lewis base, H, alkyl, hydroxyalkyl, alkoxyalkyl, aminoalkyl, thioalkyl, alkenyl, alkynyl, aryl, heteroaryl, aralkyl, heteroaralkyl, acyl, aminoacyl, hydroxyacyl, thioacyl, (amino)alkoxycarbonyl, (hydroxy)alkoxycarbonyl, (amino)alkylaminocarbonyl, (hydroxy)alkylaminocarbonyl, -CO₂H, - (CH₂)_d-R₈₀, or an amino acid radical;

d is an integer in the range 0 to 12 inclusive; m is an integer in the range 0 to 6 inclusive; [[and]] n is an integer in the range 0 to 6 inclusive; and the compound is complexed with a radionuclide.

75. (Canceled)

 (Currently Amended) The compound of claim 74, wherein the compound is complexed with a radionuclide, wherein the radionuclide is technetium or rhenium.

77. (Withdrawn-Currently Amended) A compound of formula I:

$$R = \bigcap_{N = 1}^{N} \bigcap_{m = 1}^{N} \bigcap_{R_3} \bigcap_{m = 1}^{R_2} \bigcap_{n = 1}^{R_2} \bigcap_{m = 1}^{R_3} \bigcap_{m = 1}^{R_2} \bigcap_{m = 1}^{R_2} \bigcap_{n = 1}^{R_3} \bigcap_{m = 1}^{R_2} \bigcap_{m = 1}^{R_3} \bigcap_{m = 1}^{R_2} \bigcap_{m = 1}^{R_3} \bigcap_{m$$

wherein, independently for each occurrence,

R is absent or present 1 or 2 times;

R is halogen, alkyl, alkenyl, alkynyl, hydroxyl, alkoxyl, acyl, acyloxy, acylamino, silyloxy, amino, nitro, sulfhydryl, alkylthio, imino, amido, phosphoryl, phosphonate, phosphine, carbonyl, carboxyl, carboxamide, anhydride, silyl, thioalkyl, alkylsulfonyl, arylsulfonyl, selenoalkyl, ketone, aldehyde, ester, heteroalkyl, cyano, guanidine, amidine, acetal, ketal, amine oxide, aryl, heteroaryl, aralkyl, heteroaralkyl, azido, aziridine, carbamoyl, epoxide, hydroxamic acid, imide, oxime, sulfonamide, thioamide, thiocarbamate, urea, thiourea, or -(CH₂)_d-R₅₀;

R₈₀ is carboxaldehyde, carboxylate, carboxamido, alkoxycarbonyl, aryloxycarbonyl, ammonium, aryl, heteroaryl, cycloalkyl, cycloalkenyl, heterocyclyl, polycyclyl, amino acid, peptide, saccharide, ribonucleic acid, or (deoxy)ribonucleic acid;

R2 is H or a lipophilic group;

R₃ is a moiety comprising a neutral or anionic Lewis base, H, alkyl, hydroxyalkyl, alkoxyalkyl, aminoalkyl, thioalkyl, alkenyl, alkynyl, aryl, heteroaryl, aralkyl, heteroaralkyl, acyl, aminoacyl, hydroxyacyl, thioacyl, (amino)alkoxycarbonyl, (hydroxy)alkoxycarbonyl, (amino)alkylaminocarbonyl, (hydroxy)alkylaminocarbonyl, -CO₂H, -(CH₂)d-R₈₀, or an amino acid radical;

d is an integer in the range 0 to 12 inclusive;

m is an integer in the range 0 to 6 inclusive; [[and]]
n is an integer in the range 0 to 6 inclusive; and
the compound is complexed with a radionuclide.

- 78. (Canceled)
- (Withdrawn-Currently Amended) The compound of claim 77, wherein the compound is complexed with a radionuclide, wherein the radionuclide is technetium or rhenium.
- 80. (Withdrawn) The compound of claim 77, wherein m is 1.
- 81. (Withdrawn) The compound of claim 77, wherein n is 1.
- 82. (Withdrawn) The compound of claim 77, wherein m is 1; and n is 1.
- 83. (Withdrawn) The compound of claim 77, wherein R is absent.
- 84. (Withdrawn) The compound of claim 77, wherein R2 is a lipophilic group.
- 85. (Withdrawn) The compound of claim 77, wherein R2 is an ether, aralkyl, or alkylaryl.
- 86. (Withdrawn) The compound of claim 77, wherein R₃ is a moiety comprising an anionic Lewis base.
- 87. (Withdrawn) The compound of claim 77, wherein R3 is a carboxylate, thiolate, or phenolate.
- 88. (Withdrawn) The compound of claim 77, wherein R is absent; and R2 is an ether, aralkyl, or alkylaryl.
- 89. (Withdrawn) The compound of claim 77, wherein R is absent; R2 is an ether, aralkyl, or alkylaryl; and R3 is a carboxylate, thiolate, or phenolate.
- (Withdrawn) The compound of claim 77, wherein m is 1; n is 1; R is absent; and R2 is an
 ether, aralkyl, or alkylaryl.

- 91. (Withdrawn) The compound of claim 77, wherein m is 1; n is 1; R is absent; R₂ is an ether, aralkyl, or alkylaryl; and R₃ is a carboxylate, thiolate, or phenolate.
- (Withdrawn-Currently Amended) The compound of claim 77, wherein m is 1; n is 1; R is
 absent; and R₂ is an ether, aralkyl, or alkylaryl; wherein said compound is complexed
 with a radionuclide.
- 93. (Withdrawn-Currently Amended) The compound of claim 77, wherein m is 1; n is 1; R is absent; R₂ is an ether, aralkyl, or alkylaryl; and R₃ is a carboxylate, thiolate, or phenolate; wherein the compound is complexed with a radionuclide.
- 94. (Withdrawn-Currently Amended) The compound of claim 77, wherein m is 1; n is 1; R is absent; and R₂ is an ether, aralkyl, or alkylaryl; wherein the compound is complexed with a radionuclide, and wherein the radionuclide is technetium or rhenium.
- 95. (Withdrawn-Currently Amended) The compound of claim 77, wherein m is 1; n is 1; R is absent; R₂ is an ether, aralkyl, or alkylaryl; and R₃ is a carboxylate, thiolate, or phenolate; wherein the compound is complexed with a radionuclide, and wherein the radionuclide is technetium or rhenium.
- 96-132. (Canceled)
- 133. (Previously Presented) A formulation, comprising a compound according to any of claims 58, 61, 74, or 77; and a pharmaceutically acceptable excipient.
- 134. (Withdrawn-Currently Amended) A method of imaging a region in a patient, comprising the steps of: administering to a patient a diagnostically effective amount of a compound of claim <u>58</u>[[59]], 60, <u>61</u>[[62]], 63, 72, 73, <u>74</u>[[75]], 76, <u>77</u>[[78]], 79, or 92-95; and obtaining an image of said region of said patient.
- 135. (Withdrawn) The method of claim 134, wherein said region of said patient is the head or thorax

- 136. (Canceled)
- 137. (NEW) A compound represented by the following formula:

- 138. (NEW) The compound of claim 137, wherein the compound is complexed with a radionuclide.
- 139. (NEW) The compound of claim 138, wherein the radionuclide is technetium or rhenium.
- 140. (NEW) A formulation, comprising a compound according to claim 137; and a pharmaceutically acceptable excipient.
- 141. (NEW) A method of imaging a region in a patient, comprising the steps of: administering to a patient a diagnostically effective amount of a compound of claim 138 and obtaining an image of said region of said patient.
- 142. (NEW) A method of imaging a region in a patient, comprising the steps of: administering to a patient a diagnostically effective amount of a compound of claim 139 and obtaining an image of said region of said patient.